

# Grizzly Shoebox

Pole Top Area Light



## Description

Use this high efficiency shoebox area light in a variety of applications including parking lots, roadways, buildings and much more.


## Features

- IP65 water and dust resistance
- Anti-corrosion die cast housing
- SMD 3030 140 LPW LEDs
- Wide operating temperature range
- Built-in photocell for auto on/off
- Efficient lens design
- DLC Premium listed

| Specifications    | 100w                                  | 150w     | 200w     |
|-------------------|---------------------------------------|----------|----------|
| Watts             | 100w                                  | 150w     | 200w     |
| Voltage           | 100-277 VAC                           |          |          |
| Kelvin            | 3000/4000/5000/5700                   |          |          |
| Efficacy          | 140 LPW                               |          |          |
| Lumens            | 14000 LM                              | 21000 LM | 28000 LM |
| CRI               | 80                                    |          |          |
| Operating Temp    | -40°C to 45°C                         |          |          |
| Beam Distribution | Type II, Type III, Type V             |          |          |
| Mounting          | Slip Fitter, Round & Square, Trunnion |          |          |
| Controls          | Photocell                             |          |          |
| Lifespan          | 50,000 hrs                            |          |          |
| Surge Protection  | 6KV                                   |          |          |






Technical Specifications and Certifications Provided by the Manufacturer




100W


150W

200W







## Slip fitter



## Trunnion



## All in one(Round, Square)