

Grizzly Work Light

Round Temporary LED Work Light



Description

Make any work environment safer and easier to work in any dark areas and at night! Super bright 120 LPW LEDs cast light in every direction, and keep working even in the middle of winter down to -40°C .

Features

- IP63 water and dust resistant
- Wide temperature range
- Integrated hook in the handle
- Efficient passive cooling
- 6KV surge protected
- Linkable up to 750w
- Built-in protective cage

Specifications	60w	100w	150w
Watts	60w	100w	150w
Voltage	100-277 VAC		
Kelvin	3000k-6000k		
Efficacy	120 LPW		
Lumens	7200	12000	18000
CRI	80+		
Operating Temp	-40°C to 60°C		
Beam Angle	360°		
Mounting	Integrated Hook		
Colors	Orange		
Lifespan	50,000 hrs		
Surge Protection	6KV		



Technical Specifications and Certifications Provided by the Manufacturer



60w



100w



150w




Test Data of Maximum Linkable Quantity

Working Condition: Input voltage is AC120V, each led temporary work light comes with 10ft 18/3 cord.

Connection:	60W, same power	100W, same power	150W, same power
The maximum quantity for fixture's plug to link another fixture's socket, without power cord	10 pieces	7 pieces	5 pieces
The maximum quantity for linking the fixtures with 164ft 18/16AWG power cord	5 pieces	3 pieces	2 pieces
The maximum quantity for linking the fixtures with 328ft 18/16AWG power cord	3 pieces	2 pieces	1 pieces
The maximum quantity for linking the fixtures with 164ft 14AWG power cord	7 pieces	6 pieces	4 pieces
The maximum quantity for linking the fixtures with 328ft 14AWG power cord	5 pieces	3 pieces	2 pieces
The maximum quantity for linking the fixtures with 164ft 12AWG power cord	8 pieces	6 pieces	4 pieces
The maximum quantity for linking the fixtures with 328ft 12AWG power cord	6 pieces	4 pieces	3 pieces


60 watt →

100 watt
↓



10.75"
273mm

5.12"
130mm



150 watt →

12.72"
323mm

7.09"
180mm

