

GRIZZLY LIGHTING

Product Guide



Easy



Efficient



Exceptional



No-Hassle
5-year warranty



WE ARE
GRIZZLY

WE ARE
**Easy. Efficient.
Exceptional.**

WE ARE
READY

TO HELP YOU
**Thrill your toughest
customers.**

The roots of Grizzly Lighting stem back to the early 2000s when we were providing specialized lighting and equipment for hospitals and medical lab facilities.

In 2022, we incorporated and continued to grow, providing fast, simple and guaranteed support to contractors and electricians across Canada.

We are focused on industrial, commercial, and exterior lighting and we provide a robust wholesale range of fixtures in stock in our distribution warehouses.



TABLE OF CONTENTS



PAGE 4

HIGH/LOW
BAYS



PAGE 7

POLE TOP



PAGE 9

DOCKS



PAGE 10

LINEAR/
SHOP



PAGE 12

WALL



PAGE 16

CEILING/
INDOORS



PAGE 19

POST TOP



PAGE 20

CORN BULBS



PAGE 22

TEMPORARY



PAGE 23

CANOPY



5-year no-
hassle
warranty



Ingress
Protection
Rating



Color
Selectable



Remote



Wattage
Selectable



iD UFO HIGH BAY

Lower your costs with this integrated driver UFO High Bay. The built-in LED driver means a lower shipping cost, and a simpler 9-in-1 solution without compromising on quality!

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
90/120/150	3000/4000/5000	80+	150	13500/18000/22500	100-277
150/200/240	3000/4000/5000	80+	150	22500/30000/36000	100-277
100	5000	80+	150	15000	100-277
150	5000	80+	150	22500	100-277
200	5000	80+	150	30000	100-277
240	5000	80+	150	36000	100-277



DOME UFO HIGH BAY

A simple and effective high bay lighting solution, water and dust proof. Its 120° frosted lens reduces glare while giving an even light dispersion.

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
80/100/150	3000/4000/5000	80+	150	12000/15000/22500	100-277/120-347
100/150/200	3000/4000/5000	80+	150	15000/22500/30000	100-277/120-347
100	5000	80+	150	15000	100-277/120-347
150	5000	80+	150	22500	100-277/120-347
200	5000	80+	150	30000	100-277/120-347





PRO HIGH BAY

Get 9 lights in one! With CCT and wattage tunable options available this light is bright, efficient and extremely versatile for different applications.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
90/120/150	3000/4000/5000	70+	140	12600/16800/21000	100-277/277-480
150/200/240	3000/4000/5000	70+	140	21000/28000/33600	100-277/277-480
200/240/300	3000/4000/5000	70+	140	28000/33600/42000	277-480
150	5000	70+	140	21000	100-277/277-480
200	5000	70+	140	28000	100-277
240	5000	70+	140	33600	100-277/277-480
300	5000	70+	140	42000	100-277



BACK-LIT HIGH BAY

Light up your warehouse space as well as the ceiling for a complete change to the working environment! Available with remote and motion sensor functions



Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
120	5000	70+	140	16800	100-277
150	5000	70+	140	21000	100-277
200	5000	70+	140	28000	100-277
240	5000	70+	140	33600	100-277






SENSOR SELECT UFO HIGH BAY



The power of wattage and color selectable options built in, plus a wide array of sensors and accessories to configure a light perfect for your application!

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
90/120/150	4000/5000	80+	150	13800/18400/23000	120-347
180/200/240w	4000/5000	80+	150	20250/27000/32400	120-347



LINEAR HIGH BAY

The ultimate light for even bigger warehouses! With 9 lighting options in one light you can find the perfect look and feel while achieving a perfectly consistent lighting pattern.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
90/120/150	3000/4000/5000	80+	150	13500/18000/22500	100-277
150/200/240	3000/4000/5000	80+	150	22500/30000/36000	100-277
200/240/300	3000/4000/5000	80+	150	30000/36000/45000	100-277
240/320/400	3000/4000/5000	80+	150	36000/48000/60000	100-277
150	5000	80+	150	22500	100-277
240	5000	80+	150	36000	100-277
300	5000	80+	150	45000	100-277
400	5000	80+	150	60000	100-277





SLIM SHOEBOX AREA LIGHT

Use this high efficiency shoebox area light in a variety of applications including parking lots, roadways, buildings and much more.

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
100	3000 - 5700	80+	140	14000	100-277
150	3000 - 5700	80+	140	21000	100-277
200	3000 - 5700	80+	140	28000	100-277
240	3000 - 5700	80+	140	33600	100-277
320	3000 - 5700	80+	140	44800	100-277



AREAV3 SHOEBOX AREA LIGHT

Three wattages and three colors combined with a 120-347v driver make this shoebox light very flexible for many applications!

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
70/100/150	3000/4000/5000	80+	135	20250	100-277/120-347
200/240/300	3000/4000/5000	80+	135	40500	100-277/120-347
400/450/500	3000/4000/5000	80+	135	67500	100-277/120-347





MINI FLOOD LIGHT

Mini floods are perfect to efficiently illuminate building facades, flag poles, billboard signage, walls and more landscape lighting!

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
15	5000	70+	120	1500	100-277
30	5000	70+	120	3000	100-277
45	5000	70+	120	5400	100-277



FLOOD LIGHT - YOKE MOUNT

A cost effective solution to replace old HID and MH flood lights, with a robust, efficient design and a wide beam angle to light up everything!

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
100	5700	70+	145	14500	120-347
150	5700	70+	145	21750	120-347
200	5700	70+	145	29000	120-347





50 WATT LED DOCK LIGHT

Market leading 7000 lumens! Durable & robust with soft-start for longevity and CREE LEDs. Plug & Play with super easy installation and works from -35°C to 60°C.




Standard US Plug Available



5ft Cord length



Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
20	5000	70+	140	2800	100-277
30	5000	70+	140	4200	100-277
40	5000	70+	140	5600	100-277
50	5000	70+	140	7000	100-277



Before (common incandescent dock light)



After (our new 50W LED dock light)



SHOP LIGHT - LINKABLE

With many applications, including workshops, garages, stores and others, this linear light can do (almost) anything!

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
80	3000 - 5700	80+	140	11200	120
100	3000 - 5700	80+	140	14000	120
120	3000 - 5700	80+	140	16800	120



LED SHOP LIGHT

Use this low power efficient shop light to light a large variety of spaces! Link them up to 500W to make it even easier.

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
40	3000 - 5700	80+	130	5200	120
60	3000 - 5700	80+	130	7800	120
80	3000 - 5700	80+	130	10400	120





LINEAR STRIP LIGHT

This linear strip fixture is an economical light designed for commercial applications. Designed for simple installation and flexibility it includes multiple wattages and colors built-in.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage	Length
24/32/40	3500/4000/5000	80+	130	3120/4160/5200	120-347	4ft
60/70/80	3500/4000/5000	80+	130	7800/9100/10400	120-347	8ft



VAPOUR TIGHT LIGHT

The ideal fixture for any building where humidity or water is present, or where a rugged light is required for tough environments.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage	Length
45	5000	80+	130	5850	100-277/120-347	4ft
56	5000	80+	130	7280	100-277/120-347	4ft
12/15/18/22/25	35/40/50/57/65	80+	130	1560/1950/2340/2860/3250	100-277/120-347	4ft
25/30/35/40/50	35/40/50/57/65	80+	130	3250/3900/4550/5200/6500	100-277/120-347	2ft
50/60/70/80/100	35/40/50/57/65	80+	130	6500/7800/9100/10400/13000	100-277/120-347	4ft





SLIM LED WALL PACK - 120-347V

Perfect for any wall, this wall pack light will provide a clear bright wall wash, with tunable CCT options to find the perfect color. The built in photocell makes it even easier to use!

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
30/40/60	3000/4000/5000	80+	130	3900/5200/7800	120-347
80/100/120	3000/4000/5000	80+	130	10400/13000/15600	120-347



SLIM LED WALL PACK

This slim wall pack light looks modern and refined with the same high performance. The tunable CCT options and built in photocell keeps it user-friendly and easy to use!

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
30/40/60	3000/4000/5000	80+	138	4140/5520/8280	100-277
80/100/120	3000/4000/5000	80+	138	11040/13800/16560	100-277





SEMI CUTOFF WALL PACK - 120-347V

Perfect for any wall, this wall pack light will provide a clear bright wall wash, with tunable CCT options to find the perfect color. The built in photocell makes it even easier to use!

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
40/50/60	3000/4000/5000	80+	140	5600/7000/8400	120-347
80/100/120	3000/4000/5000	80+	140	11200/14000/16800	120-347



FULL CUTOFF WALL PACK

Designed for no upwards light and maximum flexibility with tunable kelvin and wattage built-in. Achieve a high clarity with a UV coated tempered glass lens.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
70/56/42/28	3000/4000/5000	70	150	10500/8400/6300/4200	100-277
125/100/75/50	3000/4000/5000	70	150	18750/15000/11250/7500	100-277
135/108/81/54	3000/4000/5000	70	150	20250/16200/12150/8100	100-277





FULL CUTOFF ADJUSTABLE WALL PACK - V2

The adjustable full cutoff wall pack gives the light needed while cutting unwanted light pollution. Available with selectable wattage and color and adjustable beam angle for better control.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
15/20/24/30	3000/4000/5000	70+	130	2175/2900/3480/4350	120-347
40/50/60/75	3000/4000/5000	70+	130	5800/7250/8700/10875	120-347



FULL CUTOFF ADJUSTABLE WALL PACK

The adjustable full cutoff wall pack gives the light needed while cutting unwanted light pollution. Available with selectable wattage and color and adjustable beam angle for better control.



Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
20/30/40	3000/4000/5000	70+	130	2600/3900/5200	120-347
20/40/60/80	3000/4000/5000	70+	130	2600/5200/7800/10400	120-347
20	3000/4000/5000	70+	130	2600	120-347
40	5000	70+	130	5200	100-277
60	5000	70+	130	7800	100-277
100	5000	70+	130	13000	100-277





LED MINI WALLPACK

Our mini wall pack light has a small and sleek design, with a built-in photocell for easier installation and use.

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
30	5000	80+	120	3600	100-277



LED BARN LIGHT

The perfect light for barns (of course) or any building and even poles. Brave any weather with an IP65 rating and a built in photocell makes it hassle free.

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
35	3000 - 5700	80+	140	4900	100-277
50	3000 - 5700	80+	140	7000	100-277
80	3000 - 5700	80+	140	11200	100-277
100	3000 - 5700	80+	140	14000	100-277
120	3000 - 5700	80+	140	16800	100-277





BACKLIT PANEL LED - SELECTABLE

Ideal for offices, commercial applications, garages, suspended ceilings and new construction projects, this dimmable multi watt 2X4 CCT LED panel operates at 120-347V and offers versatile lighting options.

Watts (Selectable)	Color (Kelvin) (Selectable)	Size	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
20/25/30/36/40	3500/4000/5000	1x4	130	2600/3250/3900/4680/5200	120-347
20/25/30/36/40	3500/4000/5000	2x2	130	2600/3250/3900/4680/5200	120-347
25/30/35/40/50	3500/4000/5000	2x4	130	3250/3900/4550/5200/6500	120-347
30/40/50/60/72	35/40/50/57/65	2x4	130	3900/5200/6500/7800/9360	100-277/120-347



Surface Mount Kits



Hanging Kits



Emergency Driver






CENTER BASKET TROFFER LIGHT PANEL

Elevate any office with this reliable and simple drop in center basket solution. Save on power usage without needing expensive custom fixtures while still looking classy!

Watts (Selectable)	Color (Kelvin) (Selectable)	Size	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
20/25/30	3500/4000/5000	1x4	125	2500/3125/3750	120-347
20/25/30	3500/4000/5000	2x2 S	125	2500/3125/3750	120-347
25/30/35	3500/4000/5000	2x2	125	3125/3750/4375	120-347
34/38/45	3500/4000/5000	2x4	125	4250/4750/5625	120-347
46/52/56	3500/4000/5000	2x4 XL	125	5750/6500/7000	120-347



Surface Mount Kits

Low Voltage Sensor (LVS)
Remote





COMMERCIAL DOWN LIGHT

Light up bigger commercial spaces, with less hassle and cost. A 15-in-1 small package that provides a high-quality diffused light is what you need!

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Size	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
9/13/18	2700/3000/3500/ 4000/5000	80+	4 Inch	110	990/1430/1980	120-277
13/19/27	2700/3000/3500/ 4000/5000	80+	6 Inch	110	1430/2090/2970	120-277
18/27/36	2700/3000/3500/ 4000/5000	80+	8 Inch	110	1980/2970/3960	120-277
20/30/40	2700/3000/3500/ 4000/5000	80+	10 Inch	110	2200/3300/4400	120-277

EMERGENCY LIGHTS - STANDARD & COMBO



High-Quality battery backup, head combos, and battery pack options, in stock and ready to go!





POST TOP -
SELECTABLE

Perfect for any wall, this wall pack light will provide a clear bright wall wash, with tunable CCT options to find the perfect color. The built in photocell makes it even easier to use!

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
36/48/60	3000/4000/5000	70+	140	5040/6720/8400	100-277
48/60/80	3000/4000/5000	70+	140	6720/8400/11200	100-277
90/120/150	3000/4000/5000	70+	140	12600/16800/21000	100-277
60	5000	70+	140	8400	100-277
80	5000	70+	140	11200	100-277
100	5000	70+	140	14000	100-277
150	5000	70+	140	21000	100-277



UFO POST TOP
- SELECTABLE

This slim wall pack light looks modern and refined with the same high performance. The tunable CCT options and built in photocell keeps it user-friendly and easy to use!

Watts	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
60	3000/4000/5000	80+	130	7800	100-277
80	3000/4000/5000	80+	130	10400	100-277
100	3000/4000/5000	80+	130	13000	100-277
120	3000/4000/5000	80+	130	15600	100-277
150	3000/4000/5000	80+	130	19500	100-277
200	3000/4000/5000	80+	130	26000	100-277





SELECTABLE CORN BULB

Reduce your inventory, cost, and time. Thrill your toughest customers with this innovative and super simple and easy color and wattage selectable corn bulb. Easily applied to many applications and DLC listed.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
9/12/18	3000/4000/5000	80+	140	1260/1680/2520	100-277
12/18/27	3000/4000/5000	80+	140	1680/2520/2940	100-277
18/27/36	3000/4000/5000	80+	140	2520/2950/5040	100-277
27/36/45	3000/4000/5000	80+	140	2950/5040/6300	100-277
36/45/54	3000/4000/5000	80+	140	5040/6300/7560	100-277
45/54/63	3000/4000/5000	80+	140	6300/7560/8820	100-277
54/63/80	3000/4000/5000	80+	140	7560/8820/11200	100-277
63/80/100	3000/4000/5000	80+	140	8820/11200/14000	100-277
80/100/120	3000/4000/5000	80+	140	11200/14000/16800	100-277



347V READY SELECTABLE CORN BULB

Reduce your inventory, cost, and time. Thrill your toughest customers with this innovative and super simple and easy color and wattage selectable corn bulb. Easily applied to many applications and DLC listed.

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
36	3000/4000/5000	80+	140	5040	277-480
45	3000/4000/5000	80+	140	6300	277-480
54	3000/4000/5000	80+	140	7560	277-480
80	3000/4000/5000	80+	140	11200	277-480
100	3000/4000/5000	80+	140	14000	277-480





PASSIVE CORN BULB

These cost effective retrofit LED bulbs are perfect for replacing traditional 360 degree lights such as MH and HPS. It's an easy way to save a lot of electricity while reducing the cost of switching to LED fixtures!

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
27	2800 - 6500	70+	140	3780	100-277
36	2800 - 6500	70+	140	5040	100-277
45	2800 - 6500	70+	140	6300	100-277
54	2800 - 6500	70+	140	7560	100-277
80	2800 - 6500	70+	140	11200	100-277
100	2800 - 6500	70+	140	14000	100-277
125	2800 - 6500	70+	140	17500	100-277



CORN BULB - HIGH POWER

These cost effective retrofit LED bulbs are perfect for replacing traditional 360 degree lights such as MH and HPS. It's an easy way to save a lot of electricity while reducing the cost of switching to LED fixtures!

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
80	2800 - 6500	80+	140	11200	100-277/277-480
100	2800 - 6500	80+	140	14000	100-277/277-480
120	2800 - 6500	80+	140	16800	100-277/277-480
160	2800 - 6500	80+	140	22400	100-277/277-480
200	2800 - 6500	80+	140	28000	100-277/277-480
250	2800 - 6500	80+	140	35000	100-277
300	2800 - 6500	80+	140	42000	100-277/277-480





SQUARE TEMP LIGHT - LINKABLE

This linkable temporary light is a easy safety no brainer! With 140 LPW LEDs you can light any work environment, and keep working even in the middle of winter.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
60	3000 - 6000	80+	140	8400	100-277
80	3000 - 6000	80+	140	11200	100-277
100	3000 - 6000	80+	140	14000	100-277
125	3000 - 6000	80+	140	17500	100-277
150	3000 - 6000	80+	140	21000	100-277



ROUND TEMP LIGHT - LINKABLE

Make any work environment safer and easier to work in any dark areas and at night! Super bright 120 LPW LEDs cast light in every direction, and keep working even in the middle of winter down to -40°C.

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
60	3000 - 6000	80+	120	7200	100-277
100	3000 - 6000	80+	120	12000	100-277
150	3000 - 6000	80+	120	18000	100-277





CANOPY LIGHT - 150W TUNABLE

A high power canopy light option for larger spaces or taller gas station canopies. Durable, efficient and simple.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
90/120/150	3000/4000/5000	70+	140	12600/16800/21000	100-277



CANOPY LIGHT - SELECTABLE

With the equivalent of 9 lights in one, this is a very versatile exterior canopy light. Built in photocell for easy use, and a durable build.

Watts	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
36/48/60	3000/4000/5000	80+	135	4860/6480/8100	100-277
60/80/100	3000/4000/5000	80+	135	8100/10800/13500	100-277





GRIZZLY

LIGHTING



Protect your margins
with free shipping!



Multiple warehouses
to **protect your**
supply-chain!



Exceptional service
and **no-hassle**
warranties!



Easy ordering the way
you like it!