

# GRIZZLY LIGHTING

## Product Guide

January 2026



Fast Free  
Shipping



Easy Returns



Real Warranty!  
Covers Your Labour



**CANADIAN**  
OWNED & OPERATED



Thrill your toughest customers with Grizzly's help! We help Canadian electricians with design/build/retrofit lighting and hookup projects.

Lights, poles, hardware and supplies, with no minimums direct-to-contractor only.

We're a small, nimble team with roots in hospital lighting in the early 2000s. Since 2022 we've focused exclusively on commercial and industrial sales to Electricians only. Our focus is on your success, with free shipping, easy returns and a warranty that covers labour.



# TABLE OF CONTENTS



**PAGE 4**  
HIGH/LOW BAYS



**PAGE 7**  
POLE TOP/SHOEBOX



**PAGE 9**  
DOCKS



**PAGE 10**  
SHOP/LINEAR



**PAGE 11**  
WALL



**PAGE 15**  
CEILING/INDOORS



**PAGE 18**  
POST TOP



**PAGE 19**  
CORN BULBS



**PAGE 20**  
TEMPORARY



**PAGE 21**  
CANOPY



5-year no-hassle warranty



Ingress Protection Rating



Color Selectable



Remote



Wattage Selectable



In Stock Quick Ship



## ORBIX UFO HIGH BAY

Lower your costs with this integrated driver UFO High Bay. The built-in LED driver means a lower shipping cost, and a simpler 9-in-1 solution without compromising on quality!



Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
70/100/150W	3500/4000/5000K	80+	150	10500/15000/22500	AC 120-347V
180/200/240W	3500/4000/5000K	80+	150	27000/30000/36000	AC 120-347V





## HIGH OUTPUT UFO HIGH BAY

The power of wattage and color selectable options built in, plus a wide array of sensors and accessories to configure a light perfect for your application!



## DOMED UFO HIGH BAY

A simple and effective high bay lighting solution, water and dust proof. Its 120° frosted lens reduces glare while giving an even light dispersion.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
240/270/300W	4000/5000K	80+	170	40800/45900/51000	AC 120-347V

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
80/100/150W	4000/5000K	80+	150	12000/15000/22500	AC 120-347V
100/150/200W	5000K	80+	150	15000/22500/30000	AC 120-347V



## SENSOR SELECT UFO HIGH BAY



The power of wattage and color selectable options built in, plus a wide array of sensors and accessories to configure a light perfect for your application!

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
90/120/150W	4000/5000K	80+	150	13800/18400/23000	AC 120-347V
180/200/240w	4000/5000K	80+	150	23700/30800/37000	AC 120-347V

## ADJUSTABLE LINEAR HIGH BAY



The ultimate light for even bigger warehouses! With 9 lighting options in one light you can find the perfect look and feel while achieving a perfectly consistent lighting pattern.


Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
100/130/160/190/220W	3500/4000/5000K	80+	140	14000/18200/22400/26600/30800	AC 120-347V






# TUNDRA SHOEBOX AREA LIGHT

Use this high efficiency shoebox area light in a variety of applications including parking lots, roadways, buildings and much more.



Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
70/100/150W	3000/4000/5000K	80+	150	10500/15000/22500	AC 120-347V
200/240/300W	3000/4000/5000K	80+	150	30000/36000/45000	AC 120-347V





## AREAV3 SHOEBOX AREA LIGHT

Three wattages and three colors combined with a 120-347v driver make this shoebox light very flexible for many applications!



## FLOOD LIGHT - YOKE MOUNT

A cost effective solution to replace old HID and MH flood lights, with a robust, efficient design and a wide beam angle to light up everything!

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
70/100/150W	3000/4000/5000K	80+	150	10500/15000/22500	AC 120-347V
200/240/300W	3000/4000/5000K	80+	150	30000/36000/45000	AC 120-347V
400/450/500W	5700K	80+	150	60000/67500/75000	AC 100-277V

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
100W	5700K	70+	145	14500	AC 120-347V
150W	5700K	70+	145	21750	AC 120-347V
200W	5700K	70+	145	29000	AC 120-347V





# 50 WATT LED DOCK LIGHT

Market leading 7000 lumens! Durable & robust with soft-start for longevity and CREE LEDs. Plug & Play with super easy installation and works from -35°C to 60°C.




Standard US Plug Available



5ft Cord length



Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
20W	5000K	70+	140	2800	AC 100-277V
30W	5000K	70+	140	4200	AC 100-277V
40W	5000K	70+	140	5600	AC 100-277V
50W	5000K	70+	140	7000	AC 100-277V



Before (common incandescent dock light)



After (our new 50W LED dock light)





## LINEAR STRIP LIGHT

This linear strip fixture is an economical light designed for commercial applications. Designed for simple installation and flexibility it includes multiple wattages and colors built-in.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage	Length
24/32/40W	3500/4000/5000K	80+	130	3120/4160/5200	AC 120-347V	4ft
60/70/80W	3500/4000/5000K	80+	130	7800/9100/10400	AC 120-347V	8ft




## VAPOUR TIGHT LIGHT

The ideal fixture for any building where humidity or water is present, or where a rugged light is required for tough environments.

Watts (Selectable)	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage	Length
45W	5000K	80+	130	5850	AC 100-277V	4ft
56W	5000K	80+	130	7280	AC 120-347V	4ft





# APLINE COMPACT WALL PACK

Perfect for any wall, this wall pack light will provide a clear bright wall wash, with tunable CCT options to find the perfect color. The built in photocell makes it even easier to use!



Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
30/40/60W	3000/4000/5000K	80+	140	4200/5600/8400	AC 120-347V
80/100/120W	3000/4000/5000K	80+	140	11200/14000/16800	AC 120-347V





## SLIM LED WALL PACK - 120-347V

Perfect for any wall, this wall pack light will provide a clear bright wall wash, with tunable CCT options to find the perfect color. The built in photocell makes it even easier to use!



## FULL CUTOFF WALL PACK

Designed for no upwards light and maximum flexibility with tunable kelvin and wattage built-in. Achieve a high clarity with a UV coated tempered glass lens.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
30/40/60W	3000/4000/5000K	80+	130	3900/5200/7800	AC 120-347V
80/100/120W	3000/4000/5000K	80+	130	10400/13000/15600	AC 120-347V

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
25/40/60W	3000/4000/5000K	80+	134	3350/5360/8040	AC 120-347V
80/100/120W	3000/4000/5000K	80+	134	10720/13400/16080	AC 120-347V





## FULL CUTOFF ADJUSTABLE WALL PACK - V2

The adjustable full cutoff wall pack gives the light needed while cutting unwanted light pollution. Available with selectable wattage and color and adjustable beam angle for better control.



## FULL CUTOFF ADJUSTABLE WALL PACK

The adjustable full cutoff wall pack gives the light needed while cutting unwanted light pollution. Available with selectable wattage and color and adjustable beam angle for better control.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
15/20/24/30W	3000/4000/5000K	70+	130	2175/2900/3480/4350	AC 120-347V
40/50/60/75W	3000/4000/5000K	70+	130	5800/7250/8700/10875	AC 120-347V

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
20/30/40W	3000/4000/5000K	70+	130	2600/3900/5200	AC 120-347V
20/40/60/80W	3000/4000/5000K	70+	130	2600/5200/7800/10400	AC 120-347V
20W	3000/4000/5000K	70+	130	2600	AC 120-347V





## MAN DOOR WALL PACK

Our mini wall pack light has a small and sleek design, with a built-in photocell for easier installation and use.

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
30W	5000K	80+	120	3600	AC 100-277V



## LED BARN LIGHT

The perfect light for barns (of course) or any building and even poles. Brave any weather with an IP65 rating and a built in photocell makes it hassle free.


Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
35W	3000K - 5700K	80+	140	4900	AC 100-277V
50W	3000K - 5700K	80+	140	7000	AC 100-277V
80W	3000K - 5700K	80+	140	11200	AC 100-277V
100W	3000K - 5700K	80+	140	14000	AC 100-277V
120W	3000K - 5700K	80+	140	16800	AC 100-277V





# RAVEN BACKLIT PANEL LED - SELECTABLE

Ideal for offices, commercial applications, garages, suspended ceilings and new construction projects, this dimmable multi watt 2X4 CCT LED panel operates at 120-347V and offers versatile lighting options.



Surface Mount Kits



Hanging Kits



Emergency Driver

Watts (Selectable)	Color (Kelvin) (Selectable)	Size	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
30/40/50/60/72W	35/40/50/57/65K	2x4	130	3900/5200/6500/7800/9360	AC 120-347
15/20/25/30/40W	35/40/50/57/65K	2x2	130	1950/2600/3250/3900/5200	AC 120-347
15/20/25/30/40W	35/40/50/57/65K	1x4	130	1950/2600/3250/3900/5200	AC 120-347





## CENTER BASKET TROFFER LIGHT PANEL

Elevate any office with this reliable and simple drop in center basket solution. Save on power usage without needing expensive custom fixtures while still looking classy!



### Surface Mount Kits

### Low Voltage Sensor (LVS) Remote



Watts (Selectable)	Color (Kelvin) (Selectable)	Size	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
20/25/30W	3500/4000/5000K	1x4	125	2500/3125/3750	AC 120-347V
20/25/30W	3500/4000/5000K	2x2 S	125	2500/3125/3750	AC 120-347V
25/30/35W	3500/4000/5000K	2x2	125	3125/3750/4375	AC 120-347V
34/38/45W	3500/4000/5000K	2x4	125	4250/4750/5625	AC 120-347V
46/52/56W	3500/4000/5000K	2x4 XL	125	5750/6500/7000	AC 120-347V





## COMMERCIAL DOWN LIGHT

Light up bigger commercial spaces, with less hassle and cost. A 15-in-1 small package that provides a high-quality diffused light is what you need!

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Size	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
9/13/18W	2700/3000/3500/4000/5000K	80+	4 Inch	110	990/1430/1980	AC 120-277V
13/19/27W	2700/3000/3500/4000/5000K	80+	6 Inch	110	1430/2090/2970	AC 120-277V
18/27/36W	2700/3000/3500/4000/5000K	80+	8 Inch	110	1980/2970/3960	AC 120-277V
20/30/40W	2700/3000/3500/4000/5000K	80+	10 Inch	110	2200/3300/4400	AC 120-277V

## EMERGENCY LIGHTS - STANDARD & COMBO



High-Quality battery backup, head combos, and battery pack options, in stock and ready to go!





## POST TOP - SELECTABLE

Perfect for any wall, this wall pack light will provide a clear bright wall wash, with tunable CCT options to find the perfect color. The built in photocell makes it even easier to use!



## UFO POST TOP - SELECTABLE

This slim wall pack light looks modern and refined with the same high performance. The tunable CCT options and built in photocell keeps it user-friendly and easy to use!

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
36/48/60W	3000/4000/5000K	70+	140	5040/6720/8400	AC 100-277V
48/60/80W	3000/4000/5000K	70+	140	6720/8400/11200	AC 100-277V
60/80/100W	3000/4000/5000K	70+	140	8400/11200/14000	AC 100-277V
90/120/150W	3000/4000/5000K	70+	140	12600/16800/21000	AC 100-277V

Watts	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
60W	3000/4000/5000K	80+	130	7800	AC 100-277V
80W	3000/4000/5000K	80+	130	10400	AC 100-277V
100W	3000/4000/5000K	80+	130	13000	AC 100-277V
120W	3000/4000/5000K	80+	130	15600	AC 100-277V
150W	3000/4000/5000K	80+	130	19500	AC 100-277V
200W	3000/4000/5000K	80+	130	26000	AC 100-277V






## SELECTABLE CORN BULB


Reduce your inventory, cost, and time. Thrill your toughest customers with this innovative and super simple and easy color and wattage selectable corn bulb. Easily applied to many applications and DLC listed.



## 347V READY SELECTABLE CORN BULB

Reduce your inventory, cost, and time. Thrill your toughest customers with this innovative and super simple and easy color and wattage selectable corn bulb. Easily applied to many applications and DLC listed.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
9/12/18W	3000/4000/5000K	80+	140	1260/1680/2520	AC 100-277V
12/18/27W	3000/4000/5000K	80+	140	1680/2520/2940	AC 100-277V
18/27/36W	3000/4000/5000K	80+	140	2520/2950/5040	AC 100-277V
27/36/45W	3000/4000/5000K	80+	140	2950/5040/6300	AC 100-277V 

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
54W	3000/4000/5000K	80+	140	7560	AC 277-480K
80W	3000/4000/5000K	80+	140	11200	AC 277-480K
100W	3000/4000/5000K	80+	140	14000	AC 277-480K 





## SQUARE TEMP LIGHT - LINKABLE

This linkable temporary light is a easy safety no brainer! With 140 LPW LEDs you can light any work environment, and keep working even in the middle of winter.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
60W	3000K - 6000K	80+	140	8400	AC 100-277V
80W	3000K - 6000K	80+	140	11200	AC 100-277V
100W	3000K - 6000K	80+	140	14000	AC 100-277V
125W	3000K - 6000K	80+	140	17500	AC 100-277V
150W	3000K - 6000K	80+	140	21000	AC 100-277V



## ROUND TEMP LIGHT - LINKABLE

Make any work environment safer and easier to work in any dark areas and at night! Super bright 120 LPW LEDs cast light in every direction, and keep working even in the middle of winter down to -40°C.

Watts	Color (Kelvin)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
60W	3000K - 6000K	80+	120	7200	AC 100-277V
100W	3000K - 6000K	80+	120	12000	AC 100-277V
150W	3000K - 6000K	80+	120	18000	AC 100-277V





## CANOPY LIGHT – 150W TUNABLE

A high power canopy light option for larger spaces or taller gas station canopies. Durable, efficient and simple.

Watts (Selectable)	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
90/120/150W	3000/4000/5000K	70+	140	12600/16800/21000	AC 100-277V



## CANOPY LIGHT – SELECTABLE

With the equivalent of 9 lights in one, this is a very versatile exterior canopy light. Built in photocell for easy use, and a durable build.

Watts	Color (Kelvin) (Selectable)	CRI	Efficacy (Lm/W)	Lumen Output (LM)	Voltage
20/40/60/80W	3500/4000/5000K	80+	130	2600/5200/7800/10400	AC 120-347V





# GRIZZLY LIGHTING



**Fast Free Shipping!**



**Easy Returns!**



Our **No-Hassle**  
Warranty **Covers Your**  
**Labour!**



**Free Online Trade**  
**Portal** and ROI Tool!